COPY

IDAHO DEPARTMENT OF
HEALTH & WELFARE

C.L. "BUTCH" OTTER – Governor
RICHARD M. ARMSTRONG – Director

DEBRA RANSOM, R.N.,R.H.I.T., Chief
BUREAU OF FACILITY STANDARDS
3232 Elder Street
P.O. Box 83720
Boise, ID 83720-0009
PHONE 208-334-6626
FAX 208-364-1888

December 21, 2010

Ferren Weeks, Administrator
Yellowstone Group Home #4 Hollow
560 West Sunnyside
Idaho Falls, ID 83401

RE: Yellowstone Group Home #4 Hollow, Provider #13G066

Dear Mr. Weeks:

This is to advise you of the findings of the Medicaid/Licensure survey of Yellowstone Group Home #4 Hollow, which was conducted on December 17, 2010.

Enclosed is your copy of the Statement of Deficiencies/Plan of Correction Form CMS-2567, which states that no deficiencies were noted at the time of the survey.

Thank you for the courtesies extended to us during our visit. If you have questions, please call this office at (208) 334-6626.

Sincerely,

M. Nielsen

MONICA NIELSEN
Health Facility Surveyor
Non-Long Term Care

NICOLE WISENOR
Co-Supervisor
Non-Long Term Care

MN/srm
Enclosures

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:	(X2) MULTIPLE CONSTRUCTION	(X3) DATE SURVEY COMPLETED
	13G066	A. BUILDING _____ B. WING _____	12/17/2010

NAME OF PROVIDER OR SUPPLIER	STREET ADDRESS, CITY, STATE, ZIP CODE
YELLOWSTONE GROUP HOME #4 HOLLOW	370 HOLLOW DRIVE IDAHO FALLS, ID 83402

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETION DATE
W 000	INITIAL COMMENTS Yellowstone Group Homes - Fox Hollow, is in compliance with the requirements of 42 CFR 483 Subpart I, Conditions of Participation: Intermediate Care Facilities for Persons with Mental Retardation. The survey was conducted by: Monica Nielsen, QMRP, Team Leader Barbara Dern, QMRP	W 000		

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE | TITLE | (X6) DATE

Any deficiency statement ending with an asterisk (*) denotes a deficiency which the institution may be excused from correcting providing it is determined that other safeguards provide sufficient protection to the patients. (See instructions.) Except for nursing homes, the findings stated above are disclosable 90 days following the date of survey whether or not a plan of correction is provided. For nursing homes, the above findings and plans of correction are disclosable 14 days following the date these documents are made available to the facility. If deficiencies are cited, an approved plan of correction is requisite to continued program participation.

Bureau of Facility Standards

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:	(X2) MULTIPLE CONSTRUCTION	(X3) DATE SURVEY COMPLETEO
	13G066	A. BUILDING _____ B. WING _____	12/17/2010

NAME OF PROVIDER OR SUPPLIER	STREET ADDRESS, CITY, STATE, ZIP CODE
YELLOWSTONE GROUP HOME #4 HOLLOW	370 HOLLOW DRIVE IDAHO FALLS, ID 83402

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
M 000	16.03.11 Initial Comments Yellowstone Group Home #4, Fox Hollow is in compliance with the requirements of Idaho Department of Health and Welfare Rules, Title 03, Chapter 11, "Rules Governing Intermediate Care Facilities for the Mentally Retarded (ICF/MR)." The survey was conducted by: Monica Nielsen, QMRP, Team Leader Barbara Dern, QMRP	M 000		

Bureau of Facility Standards

TITLE (X6) DATE

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE